



\$15,850.00

Standard Features:

-
- ISO 9001 certified
-
- 100% made in Taiwan
-
- Easy swing –out top roller
-
- Standard cone attachment installed
-
- 1 each LED indicator for bending roll position
-
- Safety line all around the machine for emergency stop

-

Heavy Duty all steel welded machine construction

-

German Hydraulic logic system centrally located and quiet

-

Bending roll is hydraulic powered up/down & tilting adjustment

-

Planetary reduction gear and pump

-

All three rolls are made of high grade alloy steel

-

All rolls run forward and reverse

-

Safety type foot pedal control

-

Overload protection and disconnect switch

-

Power source 208V/220V, (Option 460 V , 3 phase)

-

One year industrial warranty for part

Standard Equipment:

-

LED indicator for bending roll position

-

Safety line all around the machine for emergency stop

-

Removable safety foot pedal

-

Tool box and leveling pads

Optional Equipment:

-

Cone attachment (to make cone parts)

- (3) grooves 3/8", 1/2", 5/8" on roll for bending wire

SPECIFICATIONS

HP 50525
Roll 12 3/8" x 3 1/4"
6 1/2" x 2 1/4" x 1 1/8" x 1/16"
Mid 1 1/8" x 7/8"
Roll 8 1/2" x 3 1/8" x 3 1/8"
Roll 7 1/8" x 7/8"
Pre 20 1/8" x 1 1/8" x 1 1/8"
Roll 1 1/2" x 1 1/2"
Roll 2 1/6" x 3/8"
Oil 25 Gal
Mach 2 HP 1 1/2" x 1 1/2" HP
Mach 1 1/2" x 1 1/2" (4) 1 1/2" x 1 1/2" 50
1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" 58

[Please Request a Quote](#)